



Predicted concentrations of total VOCs (TCA+DCA+DCE+VC) after 20 years with a continuous small source area of strength 1000. Treated as a conservative tracer with a half-life of 700 days with the source in layer 4. Contour intervals are logarithmic with contour intervals of 1, 10 and 100.

MAINE YANKEE RCRA CLOSURE - Bailey Point CMS Report

DRAWINGS PRODUCED BY:			
STRATEX, DICKENSON & ASSOCIATES, and			
JACOUES WHITFORD COMPANY			
DATE PREPARED:	DESIGNED BY:	DRAWN BY:	CHECKED BY:
03-01-05	MPD	TS	MPD
PROJECT NAME/FILE NAME:	PROJECT NUMBER/PHASE:		SCALE:
CMS/FIG 5	MEP04103/1		NTS

DRAWING TITLE:	
MY CMS MODEL -	
LAYER 4 ISOCONS FOR TCA PLUME	
GENERATION FOR 20 YEARS	
WITH BIODEGRADATION	
PREPARED FOR:	FIGURE NO.
MAINE YANKEE, Wiscasset ME	5-42



ASSUMES A SMALL SEPARATE SOURCE AREA OF STRENGTH 1000, WITH HALF-LIFE OF 700 DAYS