

**Table 4-1  
PID Headspace Screening Results**

Exploration Number	Well Number	Depth (feet below ground surface)																	
		0-0.5	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	30-32	32-34
<b>STUDY AREA 4</b>																			
MW-302A (1)	MW-302A	*	0.4	*	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1	1.1	1.1
MW-303A	MW-303A	0.0	*	0.4	0.0	0.0	0.2	24	1.2	*	*	*	*	*	*	*	*	*	*
MW-305A (2)	MW-305A	3.7	*	3.7	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>STUDY AREA 5</b>																			
MY05SS25	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS26	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS27	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS28	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS29	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS30	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS32	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS34	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS35	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS36	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS37	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS38	NA	14	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS39	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS40	NA	12	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS41	NA	1.4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS42	NA	7.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS43	NA	3.6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS44	NA	7.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS48	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS49	NA	0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS51	NA	0.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS52	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS53	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS59	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS75	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS79	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS101	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS102	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS103	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS105	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS106	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS107	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS108	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS109	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS110	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS111	NA	0.6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS111A	NA	2.9	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS111B	NA	1.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS111C	NA	0.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS112	NA	0.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS114	NA	0.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS114A	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SS114B	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*

**Table 4-1  
PID Headspace Screening Results**

Exploration Number	Well Number	Depth (feet below ground surface)																	
		0-0.5	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	30-32	32-34
MY05SS114C	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS115	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS115A	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS115B	NA	0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS115C	NA	0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS116	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS116A	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS116B	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS116C	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS117	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS117A	NA	0.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS117B	NA	0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS117C	NA	0.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS118	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS118A	NA	0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS118B	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS118C	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS119	NA	1.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS119A	NA	0.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SS119C	NA	0.1	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
B-203B	B-203B	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	
B-206A	B-206A	*	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	
MW-318	MW-318	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	
MW-401A	MW-401A	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	0.0	*	0.0	
MW-402	MW-402	*	0.0	*	6.0	*	11	*	0.0	*	0.0	*	*	*	*	*	*	*	
MW-403	MW-403	*	0.0	0.0	0.0	0.0	0.0	*	*	22	*	19	*	*	8.1	*	7.3	*	
MW-413	MW-413	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	1.2	0.0	*	*	*	*	*	
MW-414	MW-414	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	
MW-415	MW-415	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	
MW-416	MW-416	*	0.0	0.6	0.0	0.0	0.0	0.0	0.6	1.1	0.0	*	*	*	*	*	*	*	
MW-420	MW-420	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
MW-421	MW-421	*	0.0	0.0	0.4	0.0	*	*	*	*	*	*	*	*	*	*	*	*	
MW-422A	MW-422A	*	2.0	*	0.0	0.8	26	0.0	0.0	0.0	*	*	*	*	*	*	*	*	
MW-423A	MW-423A	*	0.6	*	0.6	0.8	0.8	0.0	0.3	2.3	*	*	*	*	*	*	*	*	
MW-424A	MW-424A	2.0	*	*	0.0	0.8	26	0.0	0.0	0.0	*	*	*	*	*	*	*	*	
MY05SB01	MW-306	1.1	*	0.3	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SB02	MW-307	1.7	1.1	1.1	0.8	*	0.0	0.0	*	0.0	*	*	0.0	*	*	*	*	*	
MY05SB04	NA	*	0.1	0.0	0.1	0.0	0.2	0.1	0.1	*	*	*	*	*	*	*	*	*	
MY05SB05	NA	*	0.1	0.0	0.2	0.0	0.0	0.0	0.1	*	*	*	*	*	*	*	*	*	
MY05SB06	NA	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SB07	NA	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SB08	NA	*	0.0	0.2	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SB09	NA	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SB10	NA	*	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	*	*	*	*	*	*	*	*	
MY05SB11	NA	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	
MY05SB12	MW-312	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	
MY05SB13	NA	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	
MY05SB14	MW-317	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	
MY05SB15	MW-308	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	

**Table 4-1  
PID Headspace Screening Results**

Exploration Number	Well Number	Depth (feet below ground surface)																
		0-0.5	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	30-32
MY05SB16	NA	0.0	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB17	NA	0.0	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB18	NA	*	1.5	0.0	0.2	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB19	NA	*	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*
MY05SB20	NA	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05SB21	NA	*	0.0	0.1	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB22	NA	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05SB23	MW-309	*	0.0	0.0	0.0	0.0	0.0	0.1	0.0	*	0.0	0.0	*	*	*	*	*	*
MY05SB24	NA	*	0.0	0.0	0.0	0.3	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05SB25	MW-310	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05SB36	NA	0.0	*	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05SB37	MW-311	0.1	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB38	NA	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB39	NA	0.0	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB40	NA	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB41	NA	0.6	*	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB42	NA	0.0	*	0.1	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB43	NA	*	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB44	MW-313	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*
MY05SB45	MW-314	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	*	*	*	*	*	*	*
MY05SB46	MW-315	*	0.0	0.0	0.0	0.0	3.0	1.4	0.0	0.0	*	*	*	*	*	*	*	*
MY05SB47	MW-316	0.0	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB48	MW-319	*	0.0	0.1	0.0	0.3	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*
MY05SB49	MW-320	*	1.0	0.0	0.0	0.9	0.9	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MY05SB52	MW-323	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*
MY05SB54	MW-324	0.0	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*
MY05SB101	MW-404	66.4	*	13	2.0	0.2	0.8	0.2	*	*	*	*	*	*	*	*	*	*
MY05SB102	MW-405	0.3	*	0.0	0.0	30	53	*	*	*	*	*	*	*	*	*	*	*
MY05SB103A	MW-407A	0.2	*	0.6	0.2	0.2	0.2	0.3	0.1	0.2	0.1	0.2	0.2	0.0	0.0	0.0	*	*
MY05SB103B	MW-407B	*	*	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05SB104A	MW-409A	0.0	*	*	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	*	*	*
MY05SB105	MW-408	*	17	3.0	1.6	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05SB106A	MW-406A	*	1.1	1.5	1.6	1.8	*	1.2	1.2	1.0	*	0.0	0.1	0.0	0.2	*	*	*
MY05GP01	NA	*	2.0	1.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP02	NA	*	2.1	1.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP03	NA	*	0.9	0.8	1.1	0.9	0.9	*	*	*	*	*	*	*	*	*	*	*
MY05GP04	NA	*	0.7	0.7	0.8	0.3	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP05	NA	*	1.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP06	NA	*	1.7	1.6	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP07	NA	*	1.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP08	NA	*	1.8	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP09	NA	*	1.5	2.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP10	NA	*	1.3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP11	NA	*	0.7	1.0	0.6	1.0	1.9	1.1	2.4	1.4	1.8	*	*	*	*	*	*	*
MY05GP12	NA	*	1.2	1.9	1.0	2.4	3.4	*	*	*	*	*	*	*	*	*	*	*
MY05GP13	NA	*	2.7	2.3	2.9	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05GP14	NA	*	0.6	0.5	0.3	2.1	*	*	*	*	*	*	*	*	*	*	*	*
MY05HA07	NA	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05HA08	NA	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05HA09	NA	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05HA11	NA	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*

**Table 4-1  
PID Headspace Screening Results**

Exploration Number	Well Number	Depth (feet below ground surface)																
		0-0.5	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	30-32
MY05HA101	NA	0.5	*	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05HA102	NA	0.5	*	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05HA103	NA	0.0	*	0.2	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05HA104	NA	0.7	*	0.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MYLOSS02	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MYLOSS03	NA	0.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MYLOSS04	NA	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MYLOSS05	NA	0.7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP01	NA	2.5	682	1224	772	451	423	*	*	*	*	*	*	*	*	*	*	*
MY05TP02	NA	*	0.9	1.4	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP03	NA	1.8	*	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP06	NA	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP07	NA	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP08	NA	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP09	NA	*	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP10	NA	*	0.0	0.5	0.0	*	0.5	*	*	*	*	*	*	*	*	*	*	*
MY05TP12	NA	*	0.0	0.5	0.0	20	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP13	NA	*	0.0	0.5	0.0	0.5	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP15	NA	*	1.1	163	131	101	142	*	*	*	*	*	*	*	*	*	*	*
MY05TP16	NA	*	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP18	NA	*	0.0	0.0	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05TP19	NA	*	1.7	0.5	0.5	0.0	0.0	0.0	*	*	*	*	*	*	*	*	*	*
MY05TP21	NA	*	0.5	0.5	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP101	NA	*	0.7	*	1.7	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP102	NA	*	0.7	*	0.7	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP103	NA	*	0.2	*	3.6	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP104A	NA	*	*	0.0	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05TP104B	NA	0.0	*	0.0	*	66	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05TP104C	NA	*	0.2	*	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*	*
MY05TP104D	NA	*	0.0	26	44	*	68	*	*	*	*	*	*	*	*	*	*	*
MY05TP104E	NA	*	1.2	2.8	*	1.5	*	1.3	*	*	*	*	*	*	*	*	*	*
MY05TP104F	NA	*	1.6	*	*	1.5	*	1.7	*	*	*	*	*	*	*	*	*	*
MY05TP104G	NA	*	1.3	*	*	1.1	*	1.5	*	*	0.5	*	*	*	*	*	*	*
MY05TP104H	NA	*	0.8	*	*	1.4	*	*	2.5	*	*	*	*	*	*	*	*	*
MY05TP104I	NA	*	*	*	*	123	2.1	*	*	*	*	*	*	*	*	*	*	*
MY05TP104J	NA	*	2.0	1.6	1.3	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP104K	NA	*	1.8	0.8	1.7	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP104L	NA	*	3.9	*	4.3	*	*	*	*	116	*	*	*	*	*	*	*	*
MY05TP104M	NA	*	1.9	*	65	*	*	*	2.6	*	*	*	*	*	*	*	*	*
MY05TP104N	NA	*	2.6	*	2.0	*	*	*	2.5	*	*	*	*	*	*	*	*	*
MY05TP104O	NA	*	0.9	*	*	0.8	*	*	1.0	*	*	*	*	*	*	*	*	*
MY05TP104P	NA	*	1.6	*	*	1.0	*	*	*	*	*	5.4	*	*	*	*	*	*
MY05TP104Q	NA	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP107	NA	*	0.0	*	*	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*
MY05TP107A	NA	*	0.0	*	*	0.0	*	0.6	0.0	*	*	*	*	*	*	*	*	*
MY05TP108-345	NA	*	0.0	*	*	0.0	*	0.0	*	*	*	*	*	*	*	*	*	*
MY05TP108-BH		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP109	NA	*	0.0	*	*	*	0.4	*	*	0.0	*	*	*	*	*	*	*	*
MY05TP110	NA	*	0.0	*	*	0.0	*	*	0.0	*	*	*	*	*	*	*	*	*
MY05TP110A	NA	*	*	*	*	*	4.2	*	*	*	*	*	*	*	*	*	*	*

**Table 4-1  
PID Headspace Screening Results**

Exploration Number	Well Number	Depth (feet below ground surface)																
		0-0.5	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24	24-26	26-28	28-30	30-32
MY05TP111	NA	*	0.0	*	*	3.8	*	*	*	5.4	*	*	*	*	*	*	*	*
MY05TP111A	NA	*	*	*	*	*	*	6.4	*	*	*	*	*	*	*	*	*	*
MY05TP112	NA	*	0.0	*	*	*	4.1	*	*	6.7	*	*	*	*	*	*	*	*
MY05TP113	NA	*	1.0	*	*	1.4	*	*	*	1.4	*	*	*	*	*	*	*	*
MY05TP114	NA	*	1.4	*	*	1.9	*	*	*	1.9	*	*	*	*	*	*	*	*
MY05TP115	NA	*	1.3	*	*	12	*	*	*	3.3	*	*	*	*	*	*	*	*
MY05TP116	NA	*	2.1	*	*	1.5	*	*	*	1.5	*	*	*	*	*	*	*	*
MY05TP117	NA	*	0.7	*	*	*	1.5	*	*	0.7	*	*	*	*	*	*	*	*
MY05TP118	NA	*	0.0	*	*	*	0.0	*	*	2.1	*	*	*	*	*	*	*	*
MY05TP119 - 345	NA	*	0.1	*	*	0.4	*	*	*	0.4	*	*	*	*	*	*	*	*
MY05TP119 - FPPH	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP120	NA	*	1.8	*	*	1.8	*	*	*	0.9	*	*	*	*	*	*	*	*
MY05TP121	NA	*	1.8	*	*	1.5	*	*	*	0.7	*	*	*	*	*	*	*	*
MY05TP122	NA	*	0.4	*	*	*	0.9	*	*	0.4	*	*	*	*	*	*	*	*
MY05TP123	NA	*	0.7	*	*	*	0.7	*	*	0.1	*	*	*	*	*	*	*	*
MY05TP124	NA	*	0.1	*	*	*	1.0	*	*	0.7	*	*	*	*	*	*	*	*
MY05TP125	NA	*	0.7	*	3.2	*	*	*	0.1	*	*	*	*	*	*	*	*	*
MY05TP126	NA	*	0.4	0.7	*	1.0	*	*	*	*	*	*	*	*	*	*	*	*
MY05TP129	NA	*	0.7	*	*	0.1	*	*	*	0.4	*	*	*	*	*	*	*	*
MY05TP130	NA	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Test Trench-10 (3)	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Test Trench-20	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Test Trench-30	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Test Trench-40	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Test Trench-50	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Test Trench-60	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Test Trench-70	NA	*	0.0	*	*	*	29	*	*	*	*	*	*	*	*	*	*	*
Test Trench-80	NA	*	0.0	0.0	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TP-101 (4)	NA	0.7	*	*	1.7	*	*	*	*	*	*	*	*	*	*	*	*	*
TP-102	NA	0.7	*	*	0.7	*	*	*	*	*	*	*	*	*	*	*	*	*
TP-103	NA	0.2	*	*	3.6	*	*	*	*	*	*	*	*	*	*	*	*	*

Notes:

All results reported in parts per million (ppm)

\* No Data Collected

NA = Not Applicable

PID data is matched to the nearest foot interval.

Where more than one PID value was reported per interval, the highest reading is included in the table.

Raw Data in Boring Logs and Test Pit Logs in Appendix A and C, respectively.

(1) MW-302A results from 34 to 44 feet = 0.0 ppm.

(2) MW-305A results from 34 to 60 feet = 0.0 or 0.1 ppm.

(3) Test Trench-10 to 80 refer to Phase 1A test excavation at the former truck maintenance garage.

(4) TP-101 to 103 refer to testpits excavated at the Bailey House septic system leach field.